

3. (Twice Amended) The laminate according to Claim ~~11~~<sup>1</sup>, wherein each interlayer independently is a layer consisting of at least one member selected from the group consisting of an oxide, a nitride, an oxynitride, a carbide and a boride.

4. (Twice Amended) The laminate according to Claim ~~11~~<sup>1</sup>, wherein the thickness of each interlayer independently is from 0.1 to 30 nm.

5. (Twice Amended) The laminate according to Claim ~~11~~<sup>1</sup>, wherein each metal layer independently is a layer containing at least one metal selected from the group consisting of silver, copper and gold.

6. (Twice Amended) The laminate according to Claim ~~11~~<sup>1</sup>, wherein the sheet resistance value is from 0.5 to 3.5  $\Omega/\square$ , the visible light transmittance is at least 40%, and the visible light reflectance is at most 10%.

7. (Twice Amended) The laminate according to Claim ~~11~~<sup>1</sup>, wherein a resin film having a low-reflecting property is further laminated thereon.

8. (Twice Amended) The laminate according to Claim ~~11~~<sup>1</sup>, wherein a resin film having a near-infrared shielding property is further laminated thereon.

9. (Twice Amended) The laminate according to Claim ~~11~~<sup>1</sup>, wherein the visible light reflectance is at most 3%.

#### DISCUSSION OF THE AMENDMENT

Claims 1 and 10 have been cancelled. Each of Claims 2-9 have been amended to depend on Claim 11. In addition, the term "the interlayer" has been changed to --each interlayer independently-- in Claims 3 and 4, and the term "the metal layer" has been changed to --each metal layer independently-- in Claim 5. See the discussion of the